

EUROPA Astro V660 Vertical Contour Bandsaw for metals

Machine specification

Throat, band to column	mm	658
Max work height	mm	355
Band width capacity	mm	3 - 27
Max band length	mm	4680
Motor Power (400v/50Hz/3phase)	Kw	2.2
Table size primary table	mm	600 x 700
Table tilt in degrees R & L	°	12/12
Table height	mm	1.000
Band speed range	m/min	15-130 / 175-1500
Wheels, diameter	mm	665 - Rubber tires
Upper wheel adjustment	mm	50
Floor area	mm	1.295 x 810
Height, maximum	mm	2.140
Weight	kg	665
Colour		DoALL blue / white

Machine equipped with

One set of high speed insert blocks for blades 3mm - 27mm
One set of carbide faced guides blocks for blades 3mm - 27mm
Blade speed digital read out (m/min)
Blade tension indicator
Work light
Rip fence
Mitre / disc attachment
Handwheel to raise and lower the top guide post
Inverter drive
Tools and operating manuals
Chip / swarf blower
CE Specification

Coolant System

EUROPA Astro V660 Vertical Contour Bandsaw for metals and plastics.



Options - factory order only

300mm stroke electrically driven table - 600 x 700mm

600mm stroke electrically driven table - 810 x 720mm

600mm stroke glide table - 810 x 720mm

4.2 KVA Blade Welder for 3-16mm blades

7.2 KVA Blade Welder for 6-19mm blades

Mist lubrication system (requires compressed air supply)

Other Europa Vertical Band saws UK.

<https://www.rk-int.com/machine/europa-astro-2013-v/>

[Europa 3613-V3 Vertical Bandsaw](#)