

EUROPA Astro V900 Vertical Bandsaw for metals, non-ferrous and plastics, complete with a feeding table on (V3E Models).

Machine specification

Throat, band to column	mm	915
Max work height	mm	333
Band width capacity	mm	3 - 27
Max band length	mm	5020
Motor Power (400v/50Hz/3phase)	Kw	2.2
Table size primary table	mm	600 x 700 + 450 x 750
Table tilt in degrees R & L	°	12/12
Table height	mm	1.015
Band speed range	m/min	15-130 / 175-1500
Wheels, diameter	mm	515 x2 & 368 - Rubber tyres
Upper wheel adjustment	mm	50
Floor area	mm	1.760 x 810
Height, maximum	mm	2.060
Weight	kg	800
Colour		DoALL blue / white

Machine equipped with

One set of high speed insert blocks for blades 3mm - 27mm
One set of carbide faced guides blocks for blades 3mm - 27mm
Blade speed digital read out (m/min)
Blade tension indicator
Work light
Rip fence
Mitre / disc attachment
Handwheel to raise and lower the top guide post
Inverter drive
Tools and operating manuals
Chip / swarf blower

CE Specification

Coolant System

Options - factory order only

300mm stroke electrically driven table - 600 x 700mm

600mm stroke electrically driven table - 810 x 720mm

600mm stroke glide table - 810 x 720mm

4.2 KVA Blade Welder for 3-16mm blades

7.2 KVA Blade Welder for 6-19mm blades

Mist lubrication system (requires compressed air supply)

EUROPA Astro V900 Vertical Bandsaw Range.



Some other vertical bandsaw options:

[Europa 3613-V3 Vertical Bandsaw](#)

[Europa 2013 V Vertical Bandsaws](#)

<https://www.rk-int.com/machine/europa-astro-2614-v/>