



Measuring Device Graduated

Steel rod with groove for measuring tape.

Hard stop equipped with measuring index and height set.

Length: L=1m



MS (MEASURING SYSTEM WITH GRADUATED SCALE)

CARIF MS (Measuring System) is a modern and comfortable device to precisely and quickly adjust the right cutting length. Practical and robust hard stop trolley assembled on n.2 linear carriages auto-lubricated for a smooth sliding on a T guide rail aluminium anodised. Possibility to lift the trolley to free the roller tables from the material. Easy to mount on every type of roller unit.

Standard Equipment:

- Hard-anodized aluminum rail
- Stop carriage with 2 sliding trolleys
- Extension to reach the blade point
- Packaging with card-board box

Advantages of the system:



- 100% lubricant-free
- High dirty resistance
- Corrosion resistance
- Low noise and vibration
- Simple and easy assembling/disassembling
- Maintenance free without lubrication

Carif MS length (Excl. Roller units):

- Starting length L=2mt
- Over 2mt possibility to extend every mt:
L=3mt - 4mt - 5mt - 6mt



- A** Hard-Stop Handle
- B** Flexible up-down movement Trolley



DMS (DIGITAL MEASURING SYSTEM)

CARIF DMS (Digital Measurement System) is a modern and comfortable device to precisely and quickly adjust the right cutting length with an easy-to-read display. CARIF DMS has been designed to be qualitative competitive, robust and of easy use. The system can be supplied together with CARIF roller units, or it can be easily adapted on other roller types already in use.

Standard Equipment:

- Hard-anodized aluminum rail
- Wide Display LCD
- Stop carriage with 2 sliding trolleys
- Sensor with Magnetic tape
- Extension to reach the blade point
- Knurled knob for fine regulation of the measure (resolution 0,1 mm)
- Packaging with card-board box

Advantages of the system:

- 100% lubricant-free
- High dirty resistance
- Corrosion resistance
- Low noise and vibration
- Simple and easy assembling/disassembling
- Maintenance free without lubrication

Carif DMS length (Excl. Roller units):

- Starting length L=2mt
- Over 2mt possibility to extend every mt:
L=3mt - 4mt - 5mt - 6mt



- A** Hard-Stop Handle
- B** Fine Regulation Knob 0,1mm
- C** Flexible up-down movement Trolley

